

Table of Contents

Chapter	Description	Page No.
1.	QUANTUM AUTOMATION SERIES SYSTEM.....	1—1
1.1	System Drawing	1—2
1.2	Central Processing Unit.....	1—3
1.2.1	113 02 Controller	1—6
1.2.2	113 03 Controller	1—8
1.2.3	213 04 Controller	1—10
1.2.4	424 02 Controller	1—12
1.2.5	434 12 Controller	1—14
1.2.6	534 14 Controller	1—16
1.2.7	311-10 Quantum Unity Controller	1—18
1.2.8	311-10 Quantum Unity Controller	1—19
1.2.9	651-50 Quantum Unity Controller	1—20
1.2.10	651-50 Quantum Unity Controller	1—21
1.2.11	651-60 Quantum Unity Controller	1—22
1.2.12	651-60 Quantum Unity Controller	1—23
1.2.13	671-60 Quantum Unity Controller	1—24
1.2.14	671-60 Quantum Unity Controller	1—25
1.3	Quantum Unity Processors.....	1—26
1.3.1	PCMCIA Memory Cards	1—26
1.3.2	PCMCIA Memory Extension Cards.....	1—27
1.3.3	Processor Diagnostics.....	1—28
1.3.4	Processor Stopped Codes.....	1—29
1.4	LED Indicators	1—30
1.5	Run LED Light Error Codes	1—31
1.5.1	Run Light Error Codes.....	1—32
1.6	Run LED Light Error Codes, 424 02	1—33
1.6.1	Run LED Light Error Codes 424-02	1—34
1.7	Front Panel Slide Switches.....	1—35

Chapter	Description	Page No.
1.7.1	Top Position, ASCII.....	1—35
1.7.2	Middle Position, RTU.....	1—36
1.7.3	Bottom Position, mem.....	1—36
1.7.4	Memory Protect Slide Switch.....	1—37
1.7.5	Front Panel Key Switch.....	1—37
1.8	Rear Panel Address Switches.....	1—38
1.9	Modbus Port Cable Pin-Out.....	1—39
1.9.1	Nine (9) to Nine (9) Pin.....	1—39
1.9.2	Twenty five (25) to Nine (9) Pin.....	1—40
1.9.3	Unity Front Panel.....	1—41
1.10	System Addressing.....	1—42
1.10.1	Six Digit System Addressing.....	1—42
1.10.2	Memory Allocation.....	1—43
1.10.3	State RAM Memory Usage.....	1—44
1.10.4	Quantum Memory Usage 256K Memory.....	1—45
1.10.5	Quantum Memory Allocation (768K).....	1—46
1.11	Processor Internal Operation and Start-Up.....	1—47
1.12	Segment Solve.....	1—48
1.13	Order of Solve.....	1—49
1.14	Quantum Configuration for IEC 61131-3.....	1—50
1.14.1	Tag Names.....	1—50
1.14.2	Sequential Functional Chart.....	1—51
1.14.3	IEC Ladder Diagram.....	1—51
1.14.4	984 Ladder Logic.....	1—51
1.14.5	Instruction List.....	1—51
1.14.6	Structured Text.....	1—51
1.14.7	Function Block Diagram.....	1—51
1.15	Selecting a Quantum Controller.....	1—52
1.15.1	IEC Loadables.....	1—52
1.15.2	Editing Heap Size.....	1—53
1.15.3	DX Loadables.....	1—53

Chapter	Description	Page No.
1.15.4	EXE Loadables	1—53
1.15.5	Maximizing Memory.....	1—54
1.15.6	First Versions of IEC.....	1—58
2.	SYSTEM OPTION MODULES	2—1
2.1.1	Modbus Plus Communications - (DIO).....	2—1
2.1.2	Network Option Module Communications - (NOM)	2—1
2.2	Distributed I/O Modules, (DIO)	2—2
2.2.1	Distributed I/O Module AC Voltage (One Channel)	2—2
2.2.2	Distributed I/O Module AC (Single Channel)	2—3
2.2.3	LED Indicators	2—4
2.2.4	Rear Panel Address Switches	2—5
2.2.5	Distributed I/O Module Diagnostics	2—6
2.2.6	Distributed I/O Module, CRA 212 10.....	2—6
2.2.7	Distributed I/O Module AC (Dual Channel).....	2—7
2.2.8	Distributed I/O Module, CRA 211 20.....	2—8
2.2.9	Distributed I/O Module DC (Single Channel)	2—9
2.2.10	Distributed I/O Module, CRA 212 20.....	2—10
2.2.11	Distributed I/O Module DC (Dual Channel)	2—11
2.3	Network Option Module (NOM)	2—12
2.3.1	Modbus Plus Network Option Modules, (NOM 21X 00).....	2—12
2.3.2	Modbus Plus (NOM).....	2—13
2.3.3	Front Panel Slide Switches	2—14
2.3.4	Rear Panel Address Switches	2—17
2.3.5	LED Light Indicators	2—18
2.3.6	Fiber Optic Modbus Plus Network Option Module NOM 252.....	2—22
2.3.7	Fiber Optic Module (NOM 252 00)	2—23
2.3.8	Front Panel Slide Switch	2—25
2.3.9	Rear Panel Address Switches	2—29
2.3.10	LED Light Indicators	2—30
2.3.11	Fiber Optic Cable Connections	2—31
2.3.12	Bus Configuration, Mixed Media.....	2—32
2.3.13	Pure Fiber Optic Modbus Network.....	2—33

Chapter	Description	Page No.
2.3.14	Tree and Star Modbus Plus Network Configurations	2—34
2.3.15	Self Healing Ring Modbus Plus Configuration	2—36
2.4	Communication and Network Option Modules	2—37
2.5	NOE 211 Ethernet TCP/IP Module	2—38
2.5.1	Default IP Addressing	2—38
2.5.2	HEX to Decimal Conversion	2—39
2.5.3	Verify Default IP Address	2—39
2.6	Network Connection	2—40
2.7	Twisted Pair TCP/IP Module	2—41
2.8	LED Indicators	2—42
2.9	Communications Port	2—43
2.9.1	RJ-45 Port Connectors	2—43
2.10	NOE 251 Ethernet TCP/IP Module	2—44
2.11	LED Indicators	2—45
2.12	Communications Ports	2—46
2.12.1	ST-Style Port Connectors	2—46
2.13	NOE 311 Twisted Pair SyMax SyNet to Ethernet Module	2—47
2.14	LED Indicators	2—48
2.15	NOE 351 Fiber Optic SyMax SyNet to Ethernet Module	2—49
2.16	LED Indicators	2—50
2.17	NOE 511 Ethernet 10Base T Module	2—51
2.18	LED Indicators	2—52
2.19	NOE 551 Ethernet Fiber Optic Module	2—53
2.20	LED Indicators	2—54
2.21	NOA 611 Interbus-S Communications Module	2—55
2.22	LED Indicators	2—56
2.23	NOE 771 00 Ethernet I/O Scanner 10/100 MB	2—57
2.24	LED Indicators	2—58

Chapter	Description	Page No.
2.24.1	Run Light Status Indication	2—59
2.25	NOE 771 10 WEB Server Module.....	2—60
2.26	LED Indicators	2—61
2.26.1	Run Light Status Indication	2—62
2.26.2	Ethernet Module as a Web Server.....	2—62
2.27	NOE 771 11 WEB Server Module.....	2—63
2.28	LED Indicators	2—64
2.28.1	Run Light Status Indication	2—65
2.28.2	Ethernet Module as a Web Server.....	2—65
2.29	NWM 100 00 WEB Server Module	2—66
2.30	LED Indicators	2—67
2.31	NOL 911 00 LONworks Interface.....	2—68
2.32	LED Indicators	2—69
2.33	NOL 911 10 LONworks Interface.....	2—70
2.34	LED Indicators	2—71
2.35	NOL 911 20 LONworks Interface.....	2—72
2.36	LED Indicators	2—73
2.37	EIA 921 00 AS-i Master Module	2—74
2.38	LED Indicators	2—75
2.38.1	Push Buttons and LED's on Module.....	2—76
2.39	CRP 811 Profibus-DP Communications Module.....	2—77
2.40	LED Indicators	2—78
2.41	140 HART Communications Module	2—79
2.42	LED Indicators	2—80
3.	BACKPLANES.....	3—1
3.1	Backplane Extender	3—2
3.2	Two Position Back-plane.....	3—3

Chapter	Description	Page No.
3.3	Three Position Back-plane.....	3—4
3.4	Four Position Backplane.....	3—5
3.5	Six Position Backplane	3—6
3.6	Ten Position Backplane	3—7
3.7	Sixteen Position Backplane	3—8
3.8	Backplane Mounting Brackets	3—9
3.8.1	Rear Mount Position	3—9
3.8.2	Front Mount Position	3—10
3.9	Mounting Space Requirements	3—11
3.9.1	Electrical / Mechanical Information	3—11
3.9.2	Space Requirements.....	3—12
3.10	Mounting Quantum Modules.....	3—13
3.11	Removing Quantum Module I/O Terminal Strips	3—14
4.	POWER SUPPLY MODULES.....	4—1
4.1	AC Power Supplies.....	4—2
4.1.1	AC Power Supply Terminations	4—3
4.2	DC Power Supplies.....	4—4
4.2.1	24 Vdc	4—4
4.2.2	24 Vdc Power Supply Terminations	4—5
4.2.3	48 Vdc	4—6
4.2.4	48 Vdc Power Supply Terminations	4—7
4.2.5	125 Vdc	4—8
4.3	LED Indicators	4—9
4.4	Power Supply CPS 111 00	4—10
4.5	Power Supply CPS 114 00	4—11
4.6	Power Supply CPS 114 10	4—12
4.7	Power Supply CPS 114 20	4—13
4.8	Power Supply CPS 124 00	4—14

Chapter	Description	Page No.
4.9	Power Supply CPS 124 20.....	4—15
4.10	Power Supply CPS 211 00.....	4—16
4.11	Power Supply CPS 214 00.....	4—17
4.12	Power Supply CPS 224 00.....	4—18
4.13	Power Supply CPS 414 00.....	4—19
4.14	Power Supply CPS 424 00.....	4—20
4.15	Power Supply CPS 511 00.....	4—21
4.16	Power Supply CPS 524 00.....	4—22
5.	REMOTE I/O DROPS / HEADS	5—1
5.1	Remote I/O Drop CRA 931 00	5—1
5.2	Remote I/O Drop Module (Single Cable)	5—2
5.3	LED Indicators	5—3
5.3.1	Rear Panel Address Switches	5—4
5.4	Remote I/O Drop CRA 931 01	5—5
5.5	Remote I/O Drop Module (CRA 931 01).....	5—6
5.6	LED Indicators	5—7
5.6.1	Rear Panel Address Switches	5—8
5.7	Remote I/O Drop CRA 932 00	5—9
5.8	Remote I/O Drop Module (Dual Cable).....	5—10
5.9	LED Indicators	5—11
5.9.1	Blinking Com Act LED Remote I/O HEAD	5—12
5.9.2	Blinking Com Act LED.....	5—13
5.10	Remote I/O Head CRP 931 00.....	5—13
5.11	Remote I/O Head Module (Single Cable).....	5—14
5.12	LED Indicators	5—15
5.12.1	Blinking Com Act LED Remote I/O	5—16
5.13	Remote I/O Head CRP 932 00.....	5—17

Chapter	Description	Page No.
5.14	Remote I/O Head Module (Dual Cable).....	5—18
5.15	LED Indicators	5—19
5.15.1	Blinking Com Act LED Remote I/O.....	5—20
5.16	Quantum Remote I/O	5—21
5.17	Remote I/O System Loss Calculations	5—22
5.17.1	Calculation for dB signal loss in the coaxial cable:.....	5—22
5.17.2	Calculation of dB signal loss through the taps:	5—22
5.17.3	Calculation using Correct Cable to meet System Specifications	5—22
5.18	I/O Topologies	5—23
5.19	CATV Coaxial Cable Recommended Manufactures	5—24
5.19.1	(Up to 15,000ft.).....	5—24
5.19.2	Description	5—24
5.20	RG-11/U Coaxial Cable Recommended Manufactures	5—25
5.20.1	(Up to 8,000ft)	5—25
5.21	RG-6/U Coaxial Cable Recommended Manufactures	5—25
5.21.1	(Up to 5,000ft.).....	5—25
5.22	Connectors	5—26
5.22.1	Recommended Line Tap.....	5—26
5.22.2	Recommended Line Splitter	5—26
5.22.3	Recommended Cable Terminator	5—26
5.22.4	Recommended In-Line Terminator	5—27
5.22.5	Recommended RG-6/U Male F Connector.....	5—27
5.22.6	Recommended RG-6/U Male BNC Connectors	5—27
5.22.7	Recommended RG-11/U Male F Connector.....	5—28
5.22.8	Recommended RG-11/U BNC Connector	5—28
5.23	Recommended Tools	5—28
5.24	Manufactures Address & Phone.....	5—29
5.24.1	Distributors	5—29
6.	QUANTUM I/O MODULES	6—1

Chapter	Description	Page No.
6.1	LED Indicators	6—2
6.1.1	32 Point I/O Module LED.....	6—2
6.1.2	16 Point and Analog I/O Module LED.....	6—3
6.2	Bi-directional Modules LED	6—4
6.3	Input Modules, DC Voltage.....	6—5
6.4	Input Modules, AC Voltage.....	6—5
6.5	Output Modules, DC Voltage.....	6—6
6.6	Output Modules, AC Voltage	6—6
6.7	Output Relay Modules	6—7
6.8	Bi-directional I/O Modules.....	6—7
6.9	Analog Input Modules.....	6—8
6.10	Analog Output Modules	6—9
6.11	Analog Combination Module.....	6—10
6.12	Special I/O Modules.....	6—11
6.13	140 CHS 110 00 Hot Standby Module.....	6—12
6.14	LED Indicators	6—13
6.15	Hot Standby Slide Switches.....	6—14
6.16	System Compatibility.....	6—15
6.17	Fiber Optic Cable Ports.....	6—16
6.18	TSX Quantum Hot Standby System.....	6—17
6.18.1	Single Cable, Hot Standby System.....	6—17
6.18.2	Dual Cable, Hot Standby System	6—18
6.18.3	Modbus Plus with Hot Standby System.....	6—19
6.19	Error Codes for the Hot Standby Module (CHS 110).....	6—20
6.20	140 EHC 105 00 High Speed Counter Module.....	6—21
6.21	LED Indicators	6—22
6.22	140 EHC 202 00 High Speed Counter Module.....	6—23

Chapter	Description	Page No.
6.23	LED Indicators	6—24
6.24	140 ESI 062 00 ASCII Interface Module	6—25
6.25	LED Indicators	6—26
6.25.1	Front Panel Push Button	6—27
6.25.2	Serial Port Connections	6—28
6.26	140 ERT 854 10 Smart Digital Input	6—29
6.27	LED Indicators	6—30
6.28	140 HLI 340 00 Hi-Speed Interrupt Module	6—31
6.29	LED Indicators	6—32
6.30	Motion Control I/O Modules	6—33
6.31	141 MSB 101 00 Motion Control Module	6—34
6.32	LED Indicators	6—35
6.33	Front Panel Connections	6—36
6.33.1	Nine (9) to Nine (9) Pin	6—36
6.33.2	Twenty five (25) to Nine (9) Pin	6—37
6.33.3	Servo Connector	6—38
6.33.4	Servo Connector Pin Descriptions	6—39
6.33.5	Rear Panel Switches	6—40
6.34	140 MSC 101 00 Motion Control Module	6—41
6.35	LED Indicators	6—42
6.36	Front Panel Connections	6—43
6.36.1	Nine (9) to Nine (9) Pin	6—43
6.36.2	Twenty five (25) to Nine (9) Pin	6—44
6.36.3	Servo Connector	6—45
6.36.4	Servo Connector Pin Descriptions	6—46
6.36.5	Rear Panel Switches	6—47
6.37	140 MMC 120 00 Motion Control Module	6—48
6.38	LED Indicators	6—49
6.39	141 MMS 425 01 Multi-Axis Motion Module	6—50

Chapter	Description	Page No.
6.39.1	Types of Controllers	6—51
6.39.2	Motion Network.....	6—51
6.40	LED Indicators	6—51
7.	PROGRAMMING INSTRUCTIONS.....	7—1
7.1	Boolean Ladder Logic Functions	7—1
7.2	Timers and Counters.....	7—2
7.2.1	Timer/Counter Function Block	7—2
7.2.2	Timers	7—3
7.3	Counters.....	7—4
7.4	Calculate Functions.....	7—5
7.4.1	The Three Section Function Block.....	7—5
7.4.2	Addition Function Block.....	7—6
7.4.3	Subtraction Function Block	7—7
7.5	Test or Compare Function	7—8
7.5.1	Multiply Function Block.....	7—9
7.5.2	Division Function Block	7—10
7.6	16 Bit Addition (AD16).....	7—11
7.7	16 Bit Subtraction (SU16).....	7—12
7.8	16 Bit Subtraction as a Compare Function	7—13
7.9	16 Bit Multiply (MU16).....	7—14
7.10	16 Bit Division (DV16)	7—15
7.11	Data Move Functions	7—16
7.12	Summary of Move Functions	7-17
7.12.1	General Function Block Format	7-19
7.12.2	Register to Table.....	7-20
7.12.3	Table to Register.....	7-21
7.12.4	Table to Table	7-22
7.12.5	Block Move.....	7-23
7.12.6	First In	7-24

Chapter	Description	Page No.
7.12.7	First Out	7-25
7.12.8	Table Search	7-26
7.12.9	Block to Table	7-27
7.12.10	Table to Block	7-28
7.12.11	Indirect Block Read	7-29
7.12.12	Indirect Block Write	7-30
7.13	STAT Function	7-31
7.14	Health (HLTH) Function	7-32
7.14.1	Learn Mode	7-32
7.14.2	Monitor Mode	7-32
7.14.3	Health Function Control	7-33
7.15	Distributed I/O Health (DIOH) Function	7-34
7.16	Matrix Functions	7-35
7.17	Summary of Matrix Functions	7-37
7.17.1	General Function Block Format	7—39
7.17.2	Sense Bit	7—40
7.17.3	Modify Bit	7—41
7.17.4	Bit Rotate	7—42
7.17.5	Logical AND	7—43
7.17.6	Logical OR	7—44
7.17.7	Logical XOR	7—45
7.17.8	Complement	7—46
7.17.9	Bit Matrix Compare	7—47
7.17.10	Miscellaneous Functions	7—48
7.17.11	Function Block	7—49
7.17.12	Normally Open Bit (NOBT)	7—50
7.17.13	Normally Closed Bit (NCBT)	7—51
7.17.14	Normal Bit (NBIT)	7—52
7.17.15	Set Bit (SBIT)	7—53
7.17.16	Reset Bit (RBIT)	7—54
7.17.17	Interval Timer Interrupt (ITMR)	7—55
7.17.18	Immediate I/O (IMIO)	7—57

Chapter	Description	Page No.
7.17.19	Block Move with Interrupts Disabled (BMDI)	7—59
7.17.20	Interrupt Enable (IE)	7—60
7.17.21	Interrupt Disable (ID)	7—61
7.18	PID Control.....	7—62
7.19	Proportional Control.....	7—63
7.20	Proportional-Integral Control	7—64
7.21	Proportional-Integral-Derivative Control	7—65
7.22	The PID Algorithm	7—66
7.23	PID2 Implementation.....	7—68
7.24	Top Node Register Usage	7—69
7.25	Middle Node Register Usage.....	7—75
7.26	Bit Zero of Register 4YYY0	7—76
7.27	Error Status Codes	7—77
7.28	Bottom Node Usage.....	7—79
7.28.1	Top Node Registers.....	7—80
7.28.2	Middle Node Registers	7—81
7.28.3	Bottom Node Decimal Value	7—81
7.29	PID2 Function Block Outputs.....	7—82
7.29.1	Invalid Parameters:.....	7—82
7.29.2	Limiting Loops Solved.....	7—83
7.30	PID2 Function Block Inputs	7—84
7.30.1	Mode Selection.....	7—85
8	WORKSTATION PROBLEMS	8—1
8.1	Determine Analog Values for Levels in a Tank	8—2
8.1.1	Questions:	8—2
8.2	Scaling Analog Values.....	8—3
8.3	Timer Coil Problem	8—4
8.4	Conveyor Sequence Problem.....	8—5

Chapter	Description	Page No.
8.4.1	Objective:	8—5
8.4.2	Start Sequence Description	8—5
8.4.3	Stop Sequence Description	8—5
8.4.4	System Interrupt Description.....	8—5
8.4.5	System Hardware.....	8—6
8.5	Elapsed Timer Problem	8—7
8.5.1	Objective	8—7
8.5.2	Description	8—7
8.5.3	Example	8—7
8.5.4	Hardware.....	8—8
8.5.5	Example	8—8
8.6	Pipeline, Pump, Tank Problem.....	8—9
8.6.1	Objective	8—9
8.6.2	Description	8—9
8.6.3	Specifications:.....	8—9
8.6.4	Pipeline, Pump, Tank Problem Drawing.	8—10
8.7	Move or Word Function Problems	8—11
8.8	Values 1111 - 1010, Table "A".....	8—12
8.8.1	Objective	8—12
8.8.2	Description	8—12
8.8.3	Hardware.....	8—12
8.8.4	Table "A"	8—13
8.9	Scan Times, Table "B"	8—14
8.9.1	Objective	8—14
8.9.2	Description	8—14
8.9.3	Hardware.....	8—14
8.9.4	Table "B"	8—14
8.10	Table "C"	8—15
8.10.1	Objective	8—15
8.10.2	Description	8—15
8.10.3	Hardware.....	8—15
8.10.4	Table "C"	8—16

Chapter	Description	Page No.
8.11	Table "D"	8—17
8.11.1	Objective	8—17
8.11.2	Hardware	8—17
8.11.3	Table "D"	8—18
8.12	Table "E"	8—19
8.12.1	Objective	8—19
8.12.2	Description.....	8—19
8.12.3	Hardware	8—19
8.12.4	Table "E"	8—19
8.13	Table "F"	8—20
8.13.1	Objective	8—20
8.13.2	Description.....	8—20
8.13.3	Hardware	8—20
8.13.4	Table "C" to Table "F"	8—21
8.14	Sequence Problem	8—22
8.14.1	Objective	8—22
8.14.2	Description.....	8—22
8.14.3	Hardware	8—22
8.14.4	Table "G"	8—23
8.14.5	Table "H"	8—24
8.15	FIN / FOUT, Queue "I"	8—25
8.15.1	Objective	8—25
8.15.2	Description.....	8—25
8.15.3	Hardware	8—25
8.15.4	Queue "I"	8—26
8.16	Table Search Problem	8—27
8.16.1	Objective	8—27
8.16.2	Description.....	8—27
8.16.3	Hardware	8—27
8.17	Queue "J"	8—28
8.18	Bearing Temperature Monitoring Problem.....	8—29

Chapter	Description	Page No.
8.18.1	Objective	8—29
8.18.2	Description	8—29
8.18.3	Hardware	8—30
8.18.4	Table "K"	8—30
8.19	Time and Date Stamp Problem	8—31
8.19.1	Objective	8—31
8.19.2	Description	8—31
8.19.3	Table "L"	8—32
8.19.4	Table "M"	8—33
8.20	Batch Process Problem.....	8—34
8.20.1	Objectives:	8—34
8.20.2	Description	8—35
8.20.3	Hardware	8—35
8.20.4	Example	8—35
8.21	Warehouse Bar-Code Problem.....	8—36
8.21.1	Objective	8—36
8.21.2	Description	8—36
8.21.3	Four Warehouse Products.....	8—38
8.21.4	Example:.....	8—40
8.21.5	MASK.....	8—41
8.21.6	Software.....	8—42
	Hardware	8—42
8.21.7	Description	8—43
8.22	Petro-Chemical Example	8—43
8.22.1	Petro-Chemical Products	8—44
8.22.2	MASK.....	8—49
8.22.3	Hardware	8—50
8.22.4	Description	8—50
9.	ENHANCED MATH (EMTH)	9—1
9.1	EMTH Function Block	9—3
9.1.1	Top Node (Value A)	9—3

Chapter	Description	Page No.
9.1.2	Middle Node (value B and Answer)	9—3
9.1.3	Bottom Node (Type).....	9—3
9.2	Double Precision Integer Addition.....	9—4
9.2.1	Top Node (value A)	9—4
9.2.2	Middle Node (value B Table).....	9—4
9.2.3	Bottom Node (Type).....	9—4
9.2.4	ADDDP	9—5
9.3	Double Precision Integer Subtraction	9—6
9.3.1	Top Node (value A)	9—6
9.3.2	Middle Node (value B Table).....	9—6
9.3.3	Bottom Node (Type).....	9—6
9.3.4	SUBDP	9—7
9.4	Double Precision Integer Multiplication	9—8
9.4.1	Top Node (value A)	9—8
9.4.2	Middle Node (value B Table).....	9—8
9.4.3	Bottom Node (Type).....	9—8
9.4.4	MULDP.....	9—9
9.5	Double Precision Integer Division	9—10
9.5.1	Top Node (value A)	9—10
9.5.2	Middle Node (value B Table).....	9—10
9.5.3	Bottom Node (Type).....	9—10
9.5.4	DIVDP	9—12
9.6	Square Root	9—13
9.6.1	Top Node (value A)	9—13
9.6.2	Middle Node (value B Table).....	9—13
9.6.3	Bottom Node (Type).....	9—13
9.6.4	SQRT	9—14
9.7	Process Square Root	9—15
9.7.1	Top Node (value A)	9—15
9.7.2	Middle Node (value B Table).....	9—15
9.7.3	Bottom Node (Type).....	9—15
9.7.4	SQRTP	9—16

Chapter	Description	Page No.
9.8	Logarithm (Base 10).....	9—17
9.8.1	Top Node (Value A)	9—17
9.8.2	Middle Node (value B Table)	9—17
9.8.3	Bottom Node (Type)	9—17
9.8.4	LOG	9—18
9.9	Antilogarithm (Base 10).....	9—19
9.9.1	Top Node (value A).....	9—19
9.9.2	Middle Node (value B Table)	9—19
9.9.3	Bottom Node (Type)	9—19
9.9.4	ANLOG	9—20
9.10	Integer to Floating Point Convert	9—21
9.10.1	Top Node (value A).....	9—21
9.10.2	Middle Node (value B Table)	9—21
9.10.3	Bottom Node (Type)	9—21
9.10.4	CNVIF.....	9—22
9.11	Integer Plus Floating Point Addition	9—23
9.11.1	Top Node (value A).....	9—23
9.11.2	Middle Node (value B Table)	9—23
9.11.3	Bottom Node (Type)	9—23
9.11.4	ADDIF.....	9—24
9.12	Integer Minus Floating Point Subtraction.....	9—25
9.12.1	Top Node (value A).....	9—25
9.12.2	Middle Node (value B Table)	9—25
9.12.3	Bottom Node (Type)	9—25
9.12.4	SUBIF	9—26
9.13	Integer Times Floating Point Multiplied	9—27
9.13.1	Top Node (value A).....	9—27
9.13.2	Middle Node (value B Table)	9—27
9.13.3	Bottom Node (Type)	9—27
9.13.4	MULIF	9—28
9.14	Integer Divided By Floating Point Value.....	9—29

Chapter	Description	Page No.
9.14.1	Top Node (value A)	9—29
9.14.2	Middle Node (value B Table).....	9—29
9.14.3	Bottom Node (Type).....	9—29
9.14.4	DIVIF	9—30
9.15	Floating Point Minus Integer Subtraction	9—31
9.15.1	Top Node (value A)	9—31
9.15.2	Middle Node (value B Table).....	9—31
9.15.3	Bottom Node (Type).....	9—31
9.15.4	SUBFI	9—32
9.16	Floating Point Divided By Integer Value	9—33
9.16.1	Top Node (value A)	9—33
9.16.2	Middle Node (value B Table).....	9—33
9.16.3	Bottom Node (Type).....	9—33
9.16.4	DIVFI	9—34
9.17	Integer to Floating Point Comparison	9—35
9.17.1	Top Node (value A)	9—35
9.17.2	Middle Node (value B Table).....	9—35
9.17.3	Bottom Node (Type).....	9—35
9.17.4	CMPIF.....	9—36
9.18	Floating Point to Integer Conversion	9—37
9.18.1	Top Node (value A)	9—37
9.18.2	Middle Node (value B Table).....	9—37
9.18.3	Bottom Node (Type).....	9—37
9.18.4	CNVIF.....	9—38
9.19	Floating Point Addition.....	9—39
9.19.1	Top Node (value A)	9—39
9.19.2	Middle Node (value B Table).....	9—39
9.19.3	Bottom Node (Type).....	9—39
9.19.4	ADDFP	9—40
9.20	Floating Point Subtraction.....	9—41
9.20.1	Top Node (value A)	9—41
9.20.2	Middle Node (value B Table).....	9—41

Chapter	Description	Page No.
9.20.3	Bottom Node (Type)	9—41
9.20.4	SUBFP	9—42
9.21	Floating Point Multiplication	9—43
9.21.1	Top Node (value A).....	9—43
9.21.2	Middle Node (value B Table)	9—43
9.21.3	Bottom Node (Type)	9—43
9.21.4	MULFP	9—44
9.22	Floating Point Division	9—45
9.22.1	Top Node (value A).....	9—45
9.22.2	Middle Node (value B Table)	9—45
9.22.3	Bottom Node (Type)	9—45
9.22.4	DIVFP	9—46
9.23	Floating Point Comparison.....	9—47
9.23.1	Top Node (value A).....	9—47
9.23.2	Middle Node (value B Table)	9—47
9.23.3	Bottom Node (Type)	9—47
9.23.4	CMPFP	9—48
9.24	Floating Point Square Root	9—49
9.24.1	Top Node (value A).....	9—49
9.24.2	Middle Node (value B Table)	9—49
9.24.3	Bottom Node (Type)	9—49
9.24.4	SQRFP	9—50
9.25	Floating Point Change Sign.....	9—51
9.25.1	Top Node (value A).....	9—51
9.25.2	Middle Node (value B Table)	9—51
9.25.3	Bottom Node (Type)	9—51
9.25.4	CHSIN	9—52
9.26	Load Value of PI.....	9—53
9.26.1	Top Node (value A).....	9—53
9.26.2	Middle Node (value B Table)	9—53
9.26.3	Bottom Node (Type)	9—53
9.26.4	PI	9—54

Chapter	Description	Page No.
9.27	Floating Point Sine of Angle in Radians	9—55
9.27.1	Top Node (value A)	9—55
9.27.2	Middle Node (value B Table).....	9—55
9.27.3	Bottom Node (Type).....	9—55
9.27.4	SINE.....	9—56
9.28	Cosine of an Angle in Radians	9—57
9.28.1	Top Node (value A)	9—57
9.28.2	Middle Node (value B Table).....	9—57
9.28.3	Bottom Node (Type).....	9—57
9.28.4	COS	9—58
9.29	Tangent of an Angle in Radians	9—59
9.29.1	Top Node (value A)	9—59
9.29.2	Middle Node (value B Table).....	9—59
9.29.3	Bottom Node (Type).....	9—59
9.29.4	TANG	9—60
9.30	Arcsine in Radians	9—61
9.30.1	Top Node (value A)	9—61
9.30.2	Middle Node (value B Table).....	9—61
9.30.3	Bottom Node (Type).....	9—61
9.30.4	Arsin.....	9—62
9.31	ARCCOSINE in Radians.....	9—63
9.31.1	Top Node (value A)	9—63
9.31.2	Middle Node (value B Table).....	9—63
9.31.3	Bottom Node (Type).....	9—63
9.31.4	ARCOS	9—64
9.32	Arctangent in Radians	9—65
9.32.1	Top Node (value A)	9—65
9.32.2	Middle Node (value B Table).....	9—65
9.32.3	Bottom Node (Type).....	9—65
9.32.4	ARTAN	9—66
9.33	Radians to Degrees Conversion	9—67

Chapter	Description	Page No.
9.33.1	Top Node (value A).....	9—67
9.33.2	Middle Node (value B Table)	9—67
9.33.3	Bottom Node (Type)	9—67
9.33.4	CNVRD	9—68
9.34	Degrees to Radians Conversion.....	9—69
9.34.1	Top Node (value A).....	9—69
9.34.2	Middle Node (value B Table)	9—69
9.34.3	Bottom Node (Type)	9—69
9.34.4	CNVDR	9—70
9.35	Floating Point Raised to Integer Power	9—71
9.35.1	Top Node (value A).....	9—71
9.35.2	Middle Node (value B Table)	9—71
9.35.3	Bottom Node (Type)	9—71
9.35.4	POW	9—72
9.36	Exponential Function.....	9—73
9.36.1	Top Node (value A).....	9—73
9.36.2	Middle Node (value B Table)	9—73
9.36.3	Bottom Node (Type)	9—73
9.36.4	EXP	9—74
9.37	Floating Point Natural Logarithm	9—75
9.37.1	Top Node (value A).....	9—75
9.37.2	Middle Node (value B Table)	9—75
9.37.3	Bottom Node (Type)	9—75
9.37.4	LNFP	9—76
9.38	Floating Point Common Logarithm.....	9—77
9.38.1	Top Node (value A).....	9—77
9.38.2	Middle Node (value B Table)	9—77
9.38.3	Bottom Node (Type)	9—77
9.38.4	LOGFP	9—78
9.39	Floating Point Report Errors Log.....	9—79
9.39.1	Top Node (value A).....	9—79
9.39.2	Middle Node (value B Table)	9—79

Chapter	Description	Page No.
9.39.3	Bottom Node (Type).....	9—79
9.40	Equation Network	9—81
9.40.1	Equation Network Structure	9—81
9.40.2	Equation Network Parameters	9—82
9.40.3	Data Types	9—84
9.40.4	Variable Data.....	9—85
9.40.5	Algebraic Operators.....	9—86
9.40.6	Constant Data.....	9—87
9.40.7	Functions	9—88
9.40.8	Table of Functions	9—89
9.40.9	Functions Limits.....	9—90
9.40.10	Data Conversions Rules	9—91
10.	PROCESS CONTROL FUNCTION LIBRARY.....	10—1
10.1	Alphabetical List	10—1
10.2	Numerical List:.....	10—1
10.3	PCFL Function Block Structure	10—2
10.3.1	Top Node (Function).....	10—2
10.3.2	Middle Node (Parameter Block).....	10—2
10.3.3	Bottom Node (length)	10—2
10.3.4	Input / Output Flags.....	10—2
10.4	Advanced Calculations	10—5
10.5	Average Function	10—6
10.5.1	Top Node (Function).....	10—6
10.5.2	Middle Node (Parameter Block).....	10—6
10.5.3	Bottom Node (Length).....	10—6
10.5.4	Average Status Registers	10—7
10.5.5	4yyyy+3 - Status Input.....	10—8
10.5.6	Parameter Registers.....	10—8
10.6	Calculate Function	10—9
10.6.1	Top Node (Function).....	10—9
10.6.2	Middle Node (Parameter Block).....	10—9

Chapter	Description	Page No.
10.6.3	Bottom Node (Length).....	10—9
10.6.4	Calculate Status Registers	10—10
10.6.5	4yyyy+3 - Status Input	10—10
10.6.6	Calculate - Formulas.....	10—11
10.6.7	Parameter Registers	10—11
10.7	Equation Function	10—12
10.7.1	Top Node (Function).....	10—12
10.7.2	Middle Node (Parameter Block)	10—12
10.7.3	Bottom Node (Length).....	10—12
10.7.4	Equation Status Registers	10—13
10.7.5	4yyyy+3 - Status Input	10—13
10.7.6	Parameter Registers	10—14
10.7.7	Equation – Input Selection and Formula Codes.....	10—14
10.7.8	Equation - Example.....	10—16
10.7.9	Top Node (Function).....	10—16
10.7.10	Middle Node (Parameter Block)	10—16
10.7.11	Bottom Node (Length).....	10—16
10.8	Signal Processing	10—19
10.9	Alarm Function	10—20
10.9.1	Normal Operating Mode	10—20
10.9.2	Deviation Operating Mode.....	10—20
10.9.3	Operating Limits.....	10—20
10.9.4	Deadband Around Limits.....	10—20
10.10	Alarm Function Block	10—21
10.10.1	Top Node (Function).....	10—21
10.10.2	Middle Node (Parameter Block)	10—21
10.10.3	Bottom Node (Length).....	10—21
10.10.4	Alarm Status Registers.....	10—22
10.10.5	4yyyy+3 - Status Input	10—23
10.10.6	Parameter Registers	10—23
10.11	Analog Input Function.....	10—24
10.11.1	Top Node (Function).....	10—24

Chapter	Description	Page No.
10.11.2	Middle Node (Parameter Block).....	10—24
10.11.3	Bottom Node (Length).....	10—24
10.11.4	Analog In Status Registers	10—25
10.11.5	4yyyy+3 - Status Input.....	10—26
10.11.6	Analog Input / Output Range Format	10—27
10.11.7	Parameter Registers.....	10—28
10.12	Analog Output Function	10—29
10.12.1	Top Node (Function).....	10—29
10.12.2	Middle Node (Parameter Block).....	10—29
10.12.3	Bottom Node (Length).....	10—29
10.12.4	Analog Out Status Registers.....	10—30
10.12.5	4yyyy+3 - Status Input.....	10—31
10.12.6	Parameter Registers.....	10—31
10.13	Delay Queue Function.....	10—32
10.13.1	Top Node (Function).....	10—32
10.13.2	Middle Node (Parameter Block).....	10—32
10.13.3	Bottom Node (Length).....	10—32
10.13.4	Delay Queue Status Registers	10—33
10.13.5	4yyyy+3 - Status Input.....	10—34
10.13.6	Parameter Registers.....	10—34
10.14	Integrate Function.....	10—35
10.14.1	Top Node (Function).....	10—35
10.14.2	Middle Node (Parameter Block).....	10—35
10.14.3	Bottom Node (Length).....	10—35
10.14.4	Integrate Status Registers	10—36
10.14.5	4yyyy+3 - Status Input.....	10—37
10.14.6	Parameter Registers.....	10—37
10.15	Lead/Lag Filter Function	10—38
10.15.1	Top Node (Function).....	10—38
10.15.2	Middle Node (Parameter Block).....	10—38
10.15.3	Bottom Node (Length).....	10—38
10.15.4	Lead/Lag filter Status Registers.....	10—39

Chapter	Description	Page No.
10.15.5	4yyyy+3 - Status Input	10—39
10.15.6	Parameter Registers	10—40
10.16	Limit Function.....	10—41
10.16.1	Top Node (Function).....	10—41
10.16.2	Middle Node (Parameter Block)	10—41
10.16.3	Bottom Node (Length).....	10—41
10.16.4	Limit Status Registers	10—42
10.16.5	4yyyy+3 - Status Input	10—42
10.16.6	Parameter Registers	10—43
10.17	Limit Velocity Function	10—44
10.17.1	Top Node (Function).....	10—44
10.17.2	Middle Node (Parameter Block)	10—44
10.17.3	Bottom Node (Length).....	10—44
10.17.4	Limit Velocity Status Registers.....	10—45
10.17.5	4yyyy+3 - Status Input	10—45
10.17.6	Parameter Registers	10—46
10.18	Lookup Function	10—47
10.18.1	Top Node (Function).....	10—47
10.18.2	Middle Node (Parameter Block)	10—47
10.18.3	Bottom Node (Length).....	10—47
10.18.4	Lookup Status Registers.....	10—48
10.18.5	4yyyy+3 - Status Input	10—49
10.18.6	Parameter Registers	10—49
10.19	Mode Function.....	10—50
10.19.1	Top Node (Function).....	10—50
10.19.2	Middle Node (Parameter Block)	10—50
10.19.3	Bottom Node (Length).....	10—50
10.19.4	Mode Status Registers	10—51
10.19.5	4yyyy+3 - Status Input	10—51
10.19.6	Parameter Registers	10—51
10.20	Ramp Function.....	10—52
10.20.1	Top Node (Function).....	10—52

Chapter	Description	Page No.
10.20.2	Middle Node (Parameter Block).....	10—52
10.20.3	Bottom Node (Length).....	10—52
10.20.4	Ramp Velocity Status Registers	10—53
10.20.5	4yyyy+3 - Status Input.....	10—54
10.20.6	Parameter Registers.....	10—54
10.21	Ramp Logarithmic Function.....	10—55
10.21.1	Top Node (Function).....	10—55
10.21.2	Middle Node (Parameter Block).....	10—55
10.21.3	Bottom Node (Length).....	10—55
10.21.4	Ramp Logarithmic Status Registers	10—56
10.21.5	4yyyy+3 - Status Input.....	10—57
10.21.6	Parameter Registers.....	10—57
10.22	Rate Function	10—58
10.22.1	Top Node (Function).....	10—58
10.22.2	Middle Node (Parameter Block).....	10—58
10.22.3	Bottom Node (Length).....	10—58
10.22.4	Rate Status Registers.....	10—59
10.22.5	4yyyy+3 - Status Input.....	10—59
10.22.6	Parameter Registers.....	10—60
10.23	Selection Function.....	10—61
10.23.1	Top Node (Function).....	10—61
10.23.2	Middle Node (Parameter Block).....	10—61
10.23.3	Bottom Node (Length).....	10—61
10.23.4	Selection Status Registers	10—62
10.23.5	4yyyy+3 - Status Input.....	10—63
10.23.6	Parameter Registers.....	10—63
10.24	Regulatory Control	10—64
10.25	General PID Equation Parameters	10—65
10.25.1	Equations.....	10—66
10.26	PID Functional Block Diagram.....	10—67
10.26.1	PCFL-PID / PID2 Comparison.....	10—68
10.27	PI Function	10—69

Chapter	Description	Page No.
10.27.1	Top Node (Function).....	10—69
10.27.2	Middle Node (Parameter Block)	10—69
10.27.3	Bottom Node (Length).....	10—69
10.27.4	PI Status Registers	10—70
10.27.5	4yyyy+3 - Status Input	10—71
10.27.6	4yyyy+4 Status Register	10—71
10.27.7	4yyyy+5 - Status Input	10—71
10.27.8	Parameter Registers	10—72
10.28	Comprehensive PID	10—73
10.28.1	Top Node (Function).....	10—73
10.28.2	Middle Node (Parameter Block)	10—73
10.28.3	Bottom Node (Length).....	10—73
10.28.4	PID Status Registers.....	10—74
10.28.5	4yyyy+3 - Status Input	10—74
10.28.6	4yyyy+4 Status Register	10—75
10.28.7	4yyyy+5 - Status Input	10—75
10.28.8	Parameter Registers	10—76
10.29	KPID Function	10—77
10.29.1	Top Node (Function).....	10—77
10.29.2	Middle Node (Parameter Block)	10—77
10.29.3	Bottom Node (Length).....	10—77
10.29.4	KPID Status Registers.....	10—78
10.29.5	4yyyy+3 - Status Input	10—79
10.29.6	4yyyy+4 Status Register	10—79
10.29.7	4yyyy+5 - Status Input	10—80
10.29.8	Parameter Registers	10—81
10.30	On/Off Control Function	10—82
10.30.1	Top Node (Function).....	10—82
10.30.2	Middle Node (Parameter Block)	10—82
10.30.3	Bottom Node (Length).....	10—82
10.30.4	Selection Status Registers	10—83
10.30.5	4yyyy+3 - Status Input	10—83
10.30.6	Parameter Registers	10—84

Chapter	Description	Page No.
10.31	Ratio Function	10—85
10.31.1	Top Node (Function)	10—85
10.31.2	Middle Node (Parameter Block).....	10—85
10.31.3	Bottom Node (Length)	10—85
10.31.4	Ratio Status Registers.....	10—86
10.31.5	4yyyy+3 - Status Input.....	10—87
10.31.6	Parameter Registers.....	10—87
10.32	Totalizer Function	10—88
10.33	Totalizer Function	10—89
10.33.1	Top Node (Function)	10—89
10.33.2	Middle Node (Parameter Block).....	10—89
10.33.3	Bottom Node (Length)	10—89
10.33.4	Ratio Status Registers.....	10—90
10.33.5	4yyyy+3 - Status Input.....	10—91
10.33.6	Parameter Registers.....	10—92
11.	LOADABLE FUNCTION BLOCKS	1
11.1	984 Hot Standby (HSBY)	2
11.1.1	Command Register	3
11.1.2	Middle Node Registers	4
11.1.3	Status Register	4
11.2	Quantum Hot Standby (CHS).....	5
11.2.1	Command Register	6
11.2.2	Middle Node Registers	7
11.2.3	Status Register	7
11.3	Quantum ASCII Module (ESI).....	8
11.4	Coprocessor Function (CALL).....	9
11.5	S975 Modbus II (MBUS)	10
11.6	S975 Modbus II (PEER)	11
11.7	Engineering Unit Conversion and Alarm (EUCA).....	12
11.8	Implementation	12

Chapter	Description	Page No.
11.9	Restrictions.....	12
11.10	The EUCA Function.....	13
11.10.1	Alarm Status Block Diagram.....	14
11.10.2	EUCA Inputs.....	16
11.10.3	EUCA Outputs.....	17
12.	QUANTUM IEC CONFIGURATION	12—1
12.1.1	Sequential Functional Chart.....	12—2
12.1.2	IEC Ladder Diagram.....	12—3
12.1.3	984 Ladder Logic.....	12—4
12.1.4	Instruction List.....	12—5
12.1.5	Structured Text.....	12—6
12.1.6	Function Block Diagram.....	12—7
12.2	Selecting a Quantum Controller.....	12—8
12.2.1	IEC Loadables Concept 2.0.....	12—9
12.2.2	IEC Loadables Concept 2.1.....	12—10
12.3	Maximizing Memory.....	12—11
12.3.1	Select a Processor.....	12—11
12.3.2	Loader Program.....	12—12
12.3.3	Using XMIT and the Segment Scheduler.....	12—15
12.3.4	Unpacking EXE Loadables.....	12—15
12.3.5	Editing the Heap Size of the Loadables.....	12—15
12.3.6	Summary.....	12—17
12.3.7	Changing State RAM Register Ranges.....	12—17
12.3.8	Configuration Extensions.....	12—20
12.4	Overall 984 and IEC Memory Map.....	12—21
12.4.1	Page Layout of all 984 Controllers.....	12—21
12.4.2	IEC Page Memory.....	12—22
12.4.3	The First IEC-Systems.....	12—23
12.4.4	The 32-Bit Integrated IEC-Systems.....	12—25
12.4.5	The IEC-Heap.....	12—27
12.4.6	Scan Times.....	12—28

Chapter	Description	Page No.
12.4.7	Manipulation of Arrays in DFBs	12—37
12.4.8	Download Changes and Optimization	12—37
12.4.9	The Implications of Non Equal, Modified, Direct	12—38
12.4.10	Ways to Clear NON EQUAL Status.....	12—39
12.5	Online Object Information	12—40
12.5.1	Backup after Download.....	12—40
12.5.2	Import and Export examples of variables and program sections.....	12—40
12.5.3	Merge Program Sections	12—46
12.5.4	Merge Two Programs	12—46
12.6	Online Events Screen	12—47
12.6.1	Data Protection.....	12—48
12.6.2	Setup of Ethernet	12—48
12.6.3	Description of Concept Project Files.....	12—49
12.6.4	Converter Project File to ASCII File	12—49
12.6.5	Concept Converter and NOT EQUAL.	12—50
12.7	Derived Data Type	12—51
12.7.1	Access Individual Data within Array and Structure	12—52
12.7.2	Selecting a Pin	12—52
12.7.3	How to Add Vertical Shorts	12—53
12.7.4	Function Block in IEC Ladder.	12—54
12.7.5	Selecting and Assigning Values.....	12—55
12.8	Function Block Editor	12—56
12.8.1	Enable On and Enable Off Work.	12—57
12.8.2	Create a FBD Section.....	12—59
12.8.3	Animate Instruction List and View Window.....	12—59
12.9	Structured Text Editor.....	12—61
12.9.1	Declaring Variables.....	12—61
12.9.2	Next Loop Incrementing Through an Array	12—61
12.9.3	Structured Text for Manipulating Equations	12—62
12.9.4	Creating the First DFB.....	12—62
12.9.5	Description of Local and Global DFB	12—63
12.10	Modsoft Converter.....	12—64

Chapter	Description	Page No.
12.10.1	Concept and Modbus Plus Hints	12—64
12.10.2	Project Organization Steps	12—64
12.10.3	Example Application Parameters.....	12—65
12.10.4	Variables.....	12—65
12.10.5	Sections.....	12—66
12.10.6	Derived Function Blocks	12—66
12.10.7	Structured Data Types.....	12—67
12.10.8	Languages.....	12—67
12.10.9	Structured Text Loops	12—67
12.10.10	Memory Partitions	12—69
12.10.11	Memory Statistics	12—69
12.10.12	Memory Size and Memory Map.....	12—69
12.10.13	Optimize Project.....	12—70
12.10.14	PC Configuration.....	12—70
12.10.15	EFB ('C') Tool kit.....	12—70
12.10.16	Animation	12—71
13.	CONCEPT LOADER	13—1
13.1.1	Starting the Application	13—1
13.1.2	Using the Loader.....	13—1
13.1.3	Convenience Buttons	13—1
13.1.4	Programming Panel and the PLC.	13—2
13.1.5	Communications Mode.....	13—2
13.1.6	Open File	13—3
13.1.7	Download To Remote I/O drop.....	13—4
13.1.8	Download Distributed Drop.....	13—5
13.1.9	Download Local Head	13—5
13.1.10	Modules (NOE)	13—5
13.1.11	Flash RAM Loader Program.....	13—6
13.1.12	Target Path.....	13—7
13.1.13	Anomalies and Corrections	13—7
13.1.14	Binary Files	13—8

Table of Figures

Figure	Description	Page No.
Figure 1-1	PLC System Drawing	1—2
Figure 1-2	Processor CPU 113 02	1—7
Figure 1-3	Processor CPU 113 03	1—9
Figure 1-4	Processor CPU 213 04	1—11
Figure 1-5	Processor CPU 424 02	1—13
Figure 1-6	Processor CPU 434 12	1—15
Figure 1-7	Processor CPU 534 14	1—17
Figure 1-8	311-10 Quantum Controller.....	1—19
Figure 1-9	651-50 Quantum Unity Controller.....	1—21
Figure 1-10	651-60 Quantum Unity Controller.....	1—23
Figure 1-11	Quantum Hot Standby Controller 671-60	1—25
Figure 1-12	Processor LED Panel	1—30
Figure 1-13	Processor Slide Switches	1—35
Figure 1-14	Processor Slide Switches	1—37
Figure 1-15	Key Switch Location.....	1—37
Figure 1-16	Processor Rotary Switches	1—38
Figure 1-17	Serial Connection 9 Pin to 9 Pin	1—39
Figure 1-18	Serial Connection 25 Pin to 9 Pin	1—40
Figure 1-19	Unity LCD Display Panel	1—41
Figure 1-20	Quantum Memory Usage.....	1—45
Figure 1-21	Quantum Processor I/O Function	1—47
Figure 1-22	Order of Solve.....	1—48
Figure 1-23	IEC Memory Allocation	1—55
Figure 1-24	IEC Memory Usage.....	1—57

Figure	Description	Page No.
Figure 2-1	Distributed IO Single Channel CRA 211 10	2—3
Figure 2-2	Distributed IO LED Panel	2—4
Figure 2-3	Processor Rotary Switches	2—5
Figure 2-4	Distributed I/O Dual Channel CRA 212 10	2—7
Figure 2-5	Distributed I/O Single Channel CRA 211 20	2—9
Figure 2-6	Distributed I/O Dual Channel CRA 212 20	2—11
Figure 2-7	Dual Channel NOM 212 00	2—13
Figure 2-8	Single Channel NOM 211 00	2—13
Figure 2-9	Slide Switches NOM 212 00	2—14
Figure 2-10	Network Option Module Rotary Switches	2—17
Figure 2-11	Network Option Module LED Panel	2—18
Figure 2-12	Modbus Plus Fiber Optic Module NOM 252 00	2—23
Figure 2-13	Slide Switches NOM 252 00	2—25
Figure 2-14	PC to NOM 252 00 9 Pin to RJ-45 Adapter	2—27
Figure 2-15	PC to NOM 252 00 9 Pin Adapter Pin outs	2—28
Figure 2-16	NOM Rotary Switches	2—29
Figure 2-17	LED Panel NOM 252 00	2—30
Figure 2-18	Fiber Optic Cable Connections nom 252 00	2—31
Figure 2-19	Bus Configuration Optic and Copper Network	2—32
Figure 2-20	Bus Configuration Pure Optic Network	2—33
Figure 2-21	Bus Configuration Tree Network	2—34
Figure 2-22	Bus Configuration Star Network	2—35
Figure 2-23	Bus Configuration Self Healing Ring Network	2—36
Figure 2-24	Global Address Conversion (MAC)	2—38
Figure 2-25	HEX to Decimal Calculation	2—39
Figure 2-26	NOE 771 10 Network	2—40

Figure	Description	Page No.
Figure 2-27	Ethernet TCP/IP Module 140 NOE 211 00	2—41
Figure 2-28	LED Panel Module 140 NOE 211 00.....	2—42
Figure 2-29	RJ45 Socket.....	2—43
Figure 2-30	Ethernet TCP/IP Module 140 NOE 251 00	2—44
Figure 2-31	LED Panel Module 140 NOE 251 00.....	2—45
Figure 2-32	ST Fiber Optic Connector	2—46
Figure 2-33	10 Base-T Ethernet Module	2—47
Figure 2-34	Quantum to SyMax LED Panel	2—48
Figure 2-35	Quantum SyMax Ethernet.....	2—49
Figure 2-36	Quantum SyMax Ethernet.....	2—50
Figure 2-37	10 Base-T Ethernet.....	2—51
Figure 2-38	Ethernet TCP/IP.....	2—52
Figure 2-39	Ethernet Fiber Optic	2—53
Figure 2-40	Ethernet Fiber Optic	2—54
Figure 2-41	Interbus S.....	2—55
Figure 2-42	LED Panel Module 140 NOA 611 00.....	2—56
Figure 2-43	Copper & Fiber Ethernet Module.....	2—57
Figure 2-44	Ethernet 10/100 MB Copper/100 MB Fiber Optic	2—58
Figure 2-45	Copper & Fiber Ethernet Module.....	2—60
Figure 2-46	Ethernet 10/100 MB Copper/100 MB Fiber Optic.....	2—61
Figure 2-47	Copper & Fiber Ethernet Module	2—63
Figure 2-48	Ethernet 10/100 MB Copper/100 MB Fiber Optic.....	2—64
Figure 2-49	140 NWM 100 00 TCP/IP Modbus Ethernet	2—66
Figure 2-50	Ethernet 10/100 MB Copper/100 MB Fiber Optic.....	2—67
Figure 2-51	LONworks Module	2—68
Figure 2-52	LONworks	2—69

Figure	Description	Page No.
Figure 2-53	LONworks Module	2—70
Figure 2-54	LONworks	2—71
Figure 2-55	LONworks	2—72
Figure 2-56	LONworks	2—73
Figure 2-57	AS-i Bus Master Module	2—74
Figure 2-56	AS-I Bus LED Panel.....	2—75
Figure 2-58	CRP 811 00 Profibus Module	2—77
Figure 2-59	Profibus DP.....	2—78
Figure 2-60	HART Module	2—79
Figure 2-61	HART Module	2—80
Figure 3-1	Backplane Extender	3—2
Figure 3-2	Backplane 2 Slot XBP 002 00	3—3
Figure 3-3	Backplane 3 Slot XBP 003 00	3—4
Figure 3-4	Backplane 4 Slot XBP 004 00	3—5
Figure 3-5	Backplane 6 Slot XBP 006 00	3—6
Figure 3-6	Backplane 10 Slot XBP 010 00	3—7
Figure 3-7	Backplane 16 Slot XBP 016 00	3—8
Figure 3-8	Mounting Bracket 3d Front Mounting.....	3—9
Figure 3-9	Mounting Bracket 3d Back Mounting.....	3—10
Figure 3-10	Cabinet Mounting Side View	3—12
Figure 3-11	Inserting Module	3—13
Figure 3-12	Inserting Terminal Strip.....	3—14
Figure 4-1	Power Supply AC Plug.....	4—2
Figure 4-2	Terminations for CPS 114 20 & CPS 124 20.....	4—3
Figure 4-3	Terminations for CPS 124 00.....	4—3
Figure 4-4	Power Supply 24Vdc Terminations.....	4—4

Figure	Description	Page No.
Figure 4-5	Terminations for CPS 214 00 & CPS 224 00	4—5
Figure 4-6	Power Supply 48 to 60 Vdc Terminations	4—6
Figure 4-7	Terminations for CPS 414 00 & CPS 424 00	4—7
Figure 4-8	Power Supply 125Vdc Terminations.....	4—8
Figure 4-9	Power Supply LED Panel	4—9
Figure 4-10	Power Supply CPS 111 00.....	4—10
Figure 4-11	Power Supply CPS 114 00.....	4—11
Figure 4-12	Power Supply CPS 114 10.....	4—12
Figure 4-13	Power Supply CPS 114 20	4—13
Figure 4-14	Power Supply CPS 124 00.....	4—14
Figure 4-15	Power Supply CPS 124 20	4—15
Figure 4-16	Power Supply CPS 211 00.....	4—16
Figure 4-17	Power Supply CPS 214 00.....	4—17
Figure 4-18	Power Supply CPS 224 00.....	4—18
Figure 4-19	Power Supply CPS 414 00.....	4—19
Figure 4-20	Power Supply CPS 424 00.....	4—20
Figure 4-21	Power Supply CPS 511 00.....	4—21
Figure 4-22	Power Supply CPS 524 00.....	4—22
Figure 5-1	Remote Processor Single Cable CRA 931 00	5—2
Figure 5-2	Remote Processor LED Panel	5—3
Figure 5-3	Processor Rotary Switches	5—4
Figure 5-4	Remote Processor Single Cable CRA 931 01	5—6
Figure 5-5	Remote Processor LED Panel	5—7
Figure 5-6	Processor Rotary Switches	5—8
Figure 5-7	Remote Processor Dual Cable CRA 932 00.....	5—10
Figure 5-8	Remote Processor LED Panel.....	5—11

Figure	Description	Page No.
Figure 5-9	Remote Processor Head Single Cable CRP 931 00.....	5—14
Figure 5-10	Remote Processor LED Panel.....	5—15
Figure 5-11	Remote Processor Head Dual Cable CRP 932 00.....	5—18
Figure 5-12	Remote Processor LED Panel.....	5—19
Figure 5-13	Remote I/O Cabling	5—21
Figure 5-14	I/O Topologies	5—23
Figure 6-1	I/O Module Exploded View	6—1
Figure 6-2	I/O 32 Point LED Panel.....	6—2
Figure 6-3	I/O 16 Point LED Panel.....	6—3
Figure 6-4	I/O Bi-Directional LED Panel	6—4
Figure 6-5	Hot Standby Module CHS 110.....	6—12
Figure 6-6	Hot Standby Module CHS 110 LED Display.....	6—13
Figure 6-7	Hot Standby Module Switch Settings	6—14
Figure 6-8	Fiber Optic Cable Connections	6—16
Figure 6-9	Configuration for Hot Standby Single Cable.....	6—17
Figure 6-10	Configuration for Hot Standby Dual Cable.....	6—18
Figure 6-11	Self Healing Ring for Hot Standby Network	6—19
Figure 6-12	High Speed Counter Module ECH 105 00	6—21
Figure 6-13	LED Display ECH 105 00	6—22
Figure 6-14	High Speed Counter Module ECH 202 00	6—23
Figure 6-15	LED Display ECH 202 00	6—24
Figure 6-16	ASCII Interface Module ESI 062 10	6—25
Figure 6-17	LED Display ESI 062 10	6—26
Figure 6-18	Reset Button ESI 062 10	6—27
Figure 6-19	Serial 9 Pin Connector ESI 062 10.....	6—28
Figure 6-20	Smart Digital Input Module	6—29

Figure	Description	Page No.
Figure 6-21	LED Display ERT 854 10.....	6—30
Figure 6-22	High Speed Latch Interrupt Module.....	6—31
Figure 6-23	LED Display HLI 340 00.....	6—32
Figure 6-24	Motion Module MSB 101 00.....	6—34
Figure 6-25	LED Display MSB 101 00.....	6—35
Figure 6-26	Serial 9 Pin to 9 Pin.....	6—36
Figure 6-27	Serial 25 Pin to 9 Pin.....	6—37
Figure 6-28	Fifty Pin Connector MSB 101 00.....	6—38
Figure 6-29	Slide Switch MSB 101 00.....	6—40
Figure 6-30	Motion Module MSC 101 00.....	6—41
Figure 6-31	LED Display MSC 101 00.....	6—42
Figure 6-32	Serial 9 Pin to 9 Pin.....	6—43
Figure 6-33	Serial 25 Pin to 9 Pin.....	6—44
Figure 6-34	50 Pin Connector MSC 101 00.....	6—45
Figure 6-35	Slide Switch MSC 101 00.....	6—47
Figure 6-36	Motion Module MMC 120 00.....	6—48
Figure 6-37	LED Display MMC 120 00.....	6—49
Figure 6-38	Quantum SERCOS Multi-Axis Motion Module.....	6—50
Figure 6-39	Quantum SERCOS Processor LED Panel.....	6—51
Figure 7-1	PID Basic Block Diagram.....	7—62
Figure 8-1	Tank Analog Input Problem.....	8—2
Figure 8-2	Scaling Raw Analog Data.....	8—3
Figure 8-3	Timer Coil Problem.....	8—4
Figure 8-4	Conveyor Sequence Problem.....	8—6
Figure 8-5	Elapse Timer Problem.....	8—7
Figure 8-6	Pipeline - Pump - Tank Problem.....	8—10

Figure	Description	Page No.
Figure 8-7	Batch Process Tank	8—34
Figure 8-8	Barcode Warehouse Problem Conveyor	8—36
Figure 8-9	Barcode bit Pattern	8—37
Figure 8-10	Barcode bit Pattern Paper Towels	8—38
Figure 8-11	Barcode bit Pattern Hand Towels	8—38
Figure 8-12	Barcode bit Pattern Facial Tissue	8—39
Figure 8-13	Barcode bit Pattern Toilet Tissue.....	8—39
Figure 8-14	Barcode Bit Pattern	8—40
Figure 8-15	Barcode Bit Pattern Storage Location Mask	8—41
Figure 8-16	Barcode bit Pattern Lot Number Mask.....	8—41
Figure 8-17	Barcode bit Pattern Product Type Mask	8—41
Figure 8-18	Barcode bit Pattern Regular Gas	8—44
Figure 8-19	Barcode bit Pattern Unleaded Gas	8—44
Figure 8-20	Barcode bit Pattern Premium Gas.....	8—44
Figure 8-21	Barcode bit Pattern 145 Aviation Fuel	8—45
Figure 8-22	Barcode bit Pattern 1 Diesel	8—45
Figure 8-23	Barcode bit Pattern 2 Diesel	8—45
Figure 8-24	Barcode bit Pattern 3 Diesel	8—46
Figure 8-25	Barcode bit Pattern Propane Gas	8—46
Figure 8-26	Barcode bit Pattern LPG Propane	8—46
Figure 8-27	Barcode bit Pattern Kerosene.....	8—47
Figure 8-28	Barcode bit Pattern 110 Aviation Fuel	8—47
Figure 8-29	Barcode bit Pattern.....	8—48
Figure 8-30	Barcode bit Pattern Storage Location Mask	8—49
Figure 8-31	Barcode bit Pattern Lot Number Mask.....	8—49
Figure 8-32	Barcode bit Pattern Product Type Mask	8—49

Figure	Description	Page No.
Figure 10-1	PID Block Diagram.....	10—67
Figure 11-1	Alarm Status Signals	15
Figure 12-1	Sample Sequential Functional Chart.....	12—2
Figure 12-2	IEC Ladder diagram	12—3
Figure 12-3	Sample IEC Ladder Diagram	12—4
Figure 12-4	Sample Instruction List	12—5
Figure 12-5	Structured Text.....	12—6
Figure 12-6	Functional Block Diagram Sample	12—7
Figure 12-7	Executive Loadables.....	12—12
Figure 12-8	Loader Executive	12—13
Figure 12-9	Loader Setup.....	12—13
Figure 12-10	RTU Parameters	12—14
Figure 12-11	Select target Processor.....	12—14
Figure 12-12	Executive File Name.....	12—14
Figure 12-13	Loadable Selection Dialog	12—16
Figure 12-14	PLC Configuration.....	12—18
Figure 12-15	Configuration Ranges.....	12—19
Figure 12-16	Configuration Extensions	12—20
Figure 12-17:	Pieces of Memory in a 984-PLC (without IEC).....	12—22
Figure 12-18:	The IEC-Runtime System.....	12—24
Figure 12-19:	Integrated IEC-System	12—26
Figure 12-20:	Memory Statistics in Online Mode	12—27
Figure 12-21:	Select Target File	12—40
Figure 12-22:	Name Target File	12—41
Figure 12-23:	Export Settings.....	12—41
Figure 12-24:	Select Source File	12—42

Figure	Description	Page No.
Figure 12-25:	Text Delimited Import Settings	12—42
Figure 12-26:	Select File Export	12—43
Figure 12-27:	Select Program	12—43
Figure 12-28:	Select Target Language.....	12—44
Figure 12-29:	Select Target File	12—44
Figure 12-30:	Select Source File Format	12—45
Figure 12-31:	IEC Text Import Setting.....	12—45
Figure 12-32:	Select Source File	12—46
Figure 12-33	Data Protection	12—48
Figure 12-34	Concept Programming Screen	12—53
Figure 12-35:	Concept Screen 2.....	12—54
Figure 12-36:	Boolean to Word.....	12—57
Figure 12-37:	Sysstate Function Block	12—58
Figure 12-38:	PID1 Function Block.....	12—58
Figure 12-39:	Instruction List	12—59
Figure 12-40:	Instruction List Animated.....	12—60